

Our ref. SSD-7709-PA-380

[REDACTED]
[REDACTED]
C/o ESR Australia and New Zealand
Suite 117/25-27 Solent Circuit
Baulkham Hills, NSW 2153

Email: [REDACTED]

04/12/2024

**Moorebank Intermodal Precinct West - Stage 2 (SSD-7709)
Revised Bushfire Risk Management Plan, Condition C9**

Dear [REDACTED]

I refer to the revised Bushfire Risk Management Plan (BRMP) submitted to the Planning Secretary under condition C9 of SSD-7709.

I note the revised BRMP:

- was reviewed by the Applicant, and no issues were raised to the Department;
- has been updated due to annual review and Modification 3 determination;
- was endorsed by the project's Environmental Representative as being consistent with the relevant consent requirements; and
- contains the information required by condition B191.

Accordingly, as nominee of the Planning Secretary, I approve the revised Bushfire Risk Management Plan, Revision G dated 18 November 2024, under condition C9 of SSD-7709.

Please note that if there are any inconsistencies between the approved revised BRMP and the conditions of consent, the conditions will prevail.

Also, please make the revised BRMP and the Department letter available for public access on the project website at the earliest convenience.

If you have any questions, please contact [REDACTED].

Yours sincerely

[REDACTED]
[REDACTED]
Team Leader - Social Infrastructure Projects
Infrastructure Management

As nominee of the Planning Secretary

