



POLLUTION MONITORING DATA - EPL 21972
MOOREBANK AVE REALIGNMENT WORKS
400 MOOREBANK AVE, MOOREBANK, NSW 2170

**POWERING FUTURES,
CREATING LEGACIES.**

Environment Protection Licence Monitoring Data

Project Name:	Moorebank Ave Realignment Works
Premise Address:	400 Moorebank Ave, Moorebank, NSW 2170
Monitoring Month:	March 2025
Environment Protection Licence No:	21972
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=21972&id=21972&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued

Discharge Point	Date Sampled	Special Frequency 1						Special Frequency 2					Comments
		Turbidity (NTU)		pH		Oil and Grease (Visible)		Copper (dissolved) (µg/L)	Nickel (dissolved) (µg/L)	Perfluorooctane sulphonate (PFOS) (µg/L)	Perfluorooctanoic acid (PFOA) (µg/L)	Zinc (dissolved) (µg/L)	
		Licence concertation	Result	Licence concertation	Result	Licence concertation	Result	Result	Result	Result	Result	Result	
													No discharges in March

Notes:		
NTU (nephelometric turbidity units)	µg/L Micrograms per Litre	< less than
- Not required to be sampled	NV None Visible	V Visible

Special Frequency 1 means:

a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge, when it is safe to do so; and

b) when rainfall causes a discharge from a sediment basin which has not been emptied within the design management period following cessation of a rainfall event, when it is safe to do so.

Special Frequency 2 means:

At least one (1) sample from any basin or holding tank where a controlled discharge is undertaken within a calendar month period. In the event that two (2) or more controlled discharges are undertaken from a basin within a calendar month period, a minimum total of two (2) samples must be collected from each discharging basin or holding tank. Collection of 'Special Frequency 2' samples must be undertaken either during or as close as possible to the time of discharge, when it is safe to do so.

Environment Protection Licence Monitoring Data

Project Name:	Moorebank Ave Realignment Works
Premise Address:	400 Moorebank Ave, Moorebank, NSW 2170
Monitoring Month:	April 2025
Environment Protection Licence No:	21972
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=21972&id=21972&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued

Discharge Point	Date Sampled	Special Frequency 1						Special Frequency 2					Comments
		Turbidity (NTU)		pH		Oil and Grease (Visible)		Copper (dissolved) (µg/L)	Nickel (dissolved) (µg/L)	Perfluorooctane sulphonate (PFOS) (µg/L)	Perfluorooctanoic acid (PFOA) (µg/L)	Zinc (dissolved) (µg/L)	
		Licence concentration	Result	Licence concentration	Result	Licence concentration	Result	Result	Result	Result	Result	Result	
													No discharges in April

Notes:		
NTU (nephelometric turbidity units)	µg/L Micrograms per Litre	< less than
- Not required to be sampled	NV None Visible	V Visible
Special Frequency 1 means: a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge, when it is safe to do so; and b) when rainfall causes a discharge from a sediment basin which has not been emptied within the design management period following cessation of a rainfall event, when it is safe to do so.		
Special Frequency 2 means: At least one (1) sample from any basin or holding tank where a controlled discharge is undertaken within a calendar month period. In the event that two (2) or more controlled discharges are undertaken from a basin within a calendar month period, a minimum total of two (2) samples must be collected from each discharging basin or holding tank. Collection of 'Special Frequency 2' samples must be undertaken either during or as close as possible to the time of discharge, when it is safe to do so.		

Environment Protection Licence Monitoring Data

Project Name:	Moorebank Ave Realignment Works
Premise Address:	400 Moorebank Ave, Moorebank, NSW 2170
Monitoring Month:	May 2025
Environment Protection Licence No:	21972
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=21972&id=21972&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued

Discharge Point	Date Sampled	Special Frequency 1						Special Frequency 2					Comments
		Turbidity (NTU)		pH		Oil and Grease (Visible)		Copper (dissolved) (µg/L)	Nickel (dissolved) (µg/L)	Perfluorooctane sulphonate (PFOS) (µg/L)	Perfluorooctanoic acid (PFOA) (µg/L)	Zinc (dissolved) (µg/L)	
		Licence concentration	Result	Licence concentration	Result	Licence concentration	Result	Result	Result	Result	Result	Result	
DP2	30/05/2025	50	33.4	6.5-8.5	7.34	NV	NV	<1	<1	1.3	0.08	<5	

Notes:		
NTU (nephelometric turbidity units)	µg/L Micrograms per Litre	< less than
- Not required to be sampled	NV None Visible	V Visible
Special Frequency 1 means: a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge, when it is safe to do so; and b) when rainfall causes a discharge from a sediment basin which has not been emptied within the design management period following cessation of a rainfall event, when it is safe to do so.		
Special Frequency 2 means: At least one (1) sample from any basin or holding tank where a controlled discharge is undertaken within a calendar month period. In the event that two (2) or more controlled discharges are undertaken from a basin within a calendar month period, a minimum total of two (2) samples must be collected from each discharging basin or holding tank. Collection of 'Special Frequency 2' samples must be undertaken either during or as close as possible to the time of discharge, when it is safe to do so.		

Environment Protection Licence Monitoring Data

Project Name:	Moorebank Ave Realignment Works
Premise Address:	400 Moorebank Ave, Moorebank, NSW 2170
Monitoring Month:	June 2025
Environment Protection Licence No:	21972
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=21972&id=21972&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued

Discharge Point	Date Sampled	Special Frequency 1						Special Frequency 2					Comments
		Turbidity (NTU)		pH		Oil and Grease (Visible)		Copper (dissolved) (µg/L)	Nickel (dissolved) (µg/L)	Perfluorooctane sulphonate (PFOS) (µg/L)	Perfluorooctanoic acid (PFOA) (µg/L)	Zinc (dissolved) (µg/L)	
		Licence concentration	Result	Licence concentration	Result	Licence concentration	Result	Result	Result	Result	Result	Result	
DP1	7/06/2025	50	22	6.5-8.5	8.32	NV	NV	<1	<1	0.03	<0.01	<5	

Notes:		
NTU (nephelometric turbidity units)	µg/L Micrograms per Litre	< less than
- Not required to be sampled	NV None Visible	V Visible
Special Frequency 1 means: a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge, when it is safe to do so; and b) when rainfall causes a discharge from a sediment basin which has not been emptied within the design management period following cessation of a rainfall event, when it is safe to do so.		
Special Frequency 2 means: At least one (1) sample from any basin or holding tank where a controlled discharge is undertaken within a calendar month period. In the event that two (2) or more controlled discharges are undertaken from a basin within a calendar month period, a minimum total of two (2) samples must be collected from each discharging basin or holding tank. Collection of 'Special Frequency 2' samples must be undertaken either during or as close as possible to the time of discharge, when it is safe to do so.		

Environment Protection Licence Monitoring Data

Project Name:	Moorebank Ave Realignment Works
Premise Address:	400 Moorebank Ave, Moorebank, NSW 2170
Monitoring Month:	June 2025
Environment Protection Licence No:	21972
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=21972&id=21972&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued

Location	Date Monitored	NCA	Period	Criteria (LAeq-15mindB(A))	Measured	Est MARW Contribution	Compliant	Observations
					LAeq dB(A)	LAeq dB(A)		
26 Brickenden Court	22.06.25	2	Night	36	41.2	0	Yes	Construction not heard
25 Exford Court	22.06.25	3	Night	36	41.2	0	Yes	Construction not heard
25 Yallum Court	22.06.25	4	Night	44	43.7	0	Yes	Construction not heard
25 Yallum Court	22.06.25	4	Night	44	44.6	0	Yes	Construction not heard
25 Exford Court	22.06.25	3	Night	36	47.8	0	Yes	Construction not heard
26 Brickenden Court	22.06.25	2	Night	36	48.3	0	Yes	Construction not heard
25 Yallum Court	22.06.25	4	Night	44	52	0	Yes	Construction not heard

Notes:
NCA Noise Catchment Area

Environment Protection Licence Monitoring Data

Project Name:	Moorebank Ave Realignment Works
Premise Address:	400 Moorebank Ave, Moorebank, NSW 2170
Monitoring Month:	July 2025
Environment Protection Licence No:	21972
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=21972&id=21972&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued

Discharge Point	Date Sampled	Special Frequency 1						Special Frequency 2					Comments
		Turbidity (NTU)		pH		Oil and Grease (Visible)		Copper (dissolved) (µg/L)	Nickel (dissolved) (µg/L)	Perfluorooctane sulphonate (PFOS) (µg/L)	Perfluorooctanoic acid (PFOA) (µg/L)	Zinc (dissolved) (µg/L)	
		Licence concentration	Result	Licence concentration	Result	Licence concentration	Result	Result	Result	Result	Result	Result	
DP2	4/07/2025	50	40	6.5-8.5	7.9	NV	NV	<1	<1	0.01	<0.01	<5	
DP1	4/07/2025	50	45	6.5-8.5	8.2	NV	NV	2	<1	0.08	0.02	<5	
DP2	5/07/2025	50	25	6.5-8.5	8.3	NV	NV	<1	<1	0.66	0.01	<5	
DP2	5/07/2025	50	8.1	6.5-8.5	25	NV	NV	<1	1	0.5	0.03	<5	
DP2	7/07/2025	50	30	6.5-8.5	8.4	NV	NV	<1	<1	0.66	0.01	<5	
DP2	7/07/2025	50	8.5	6.5-8.5	35	NV	NV	<1	1	0.5	0.03	<5	
DP2	8/07/2025	50	30	6.5-8.5	8.4	NV	NV	<1	<1	0.66	0.01	<5	
DP2	9/07/2025	50	30	6.5-8.5	8.5	NV	NV	1	<1	0.66	0.01	<5	

Notes:

NTU (nephelometric turbidity units)	µg/L Micrograms per Litre	< less than
- Not required to be sampled	NV None Visible	V Visible

Special Frequency 1 means:

- a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge, when it is safe to do so; and
b) when rainfall causes a discharge from a sediment basin which has not been emptied within the design management period following cessation of a rainfall event, when it is safe to do so.

Special Frequency 2 means:

At least one (1) sample from any basin or holding tank where a controlled discharge is undertaken within a calendar month period. In the event that two (2) or more controlled discharges are undertaken from a basin within a calendar month period, a minimum total of two (2) samples must be collected from each discharging basin or holding tank. Collection of 'Special Frequency 2' samples must be undertaken either during or as close as possible to the time of discharge, when it is safe to do so.

Environment Protection Licence Monitoring Data

Project Name:	Moorebank Ave Realignment Works
Premise Address:	400 Moorebank Ave, Moorebank, NSW 2170
Monitoring Month:	August 2025
Environment Protection Licence No:	21972
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=21972&id=21972&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued

		Special Frequency 1						Special Frequency 2					Comments
		Turbidity (NTU)		pH		Oil and Grease (Visible)		Copper (dissolved) (µg/L)	Nickel (dissolved) (µg/L)	Perfluorooctane sulphonate (PFOS) (µg/L)	Perfluorooctanoic acid (PFOA) (µg/L)	Zinc (dissolved) (µg/L)	
Discharge Point	Date Sampled	Licence concentration	Result	Licence concentration	Result	Licence concentration	Result	Result	Result	Result	Result	Result	
													No water pumped off site to the environment

Notes:		
NTU (nephelometric turbidity units)	µg/L Micrograms per Litre	< less than
- Not required to be sampled	NV None Visible	V Visible

Special Frequency 1 means:

a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge, when it is safe to do so; and

b) when rainfall causes a discharge from a sediment basin which has not been emptied within the design management period following cessation of a rainfall event, when it is safe to do so.

Special Frequency 2 means:

At least one (1) sample from any basin or holding tank where a controlled discharge is undertaken within a calendar month period. In the event that two (2) or more controlled discharges are undertaken from a basin within a calendar month period, a minimum total of two (2) samples must be collected from each discharging basin or holding tank. Collection of 'Special Frequency 2' samples must be undertaken either during or as close as possible to the time of discharge, when it is safe to do so.

Environment Protection Licence Monitoring Data

Project Name:	Moorebank Ave Realignment Works
Premise Address:	400 Moorebank Ave, Moorebank, NSW 2170
Monitoring Month:	September 2025
Environment Protection Licence No:	21972
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=21972&id=21972&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued

Discharge Point	Date Sampled	Special Frequency 1						Special Frequency 2					Comments
		Turbidity (NTU)		pH		Oil and Grease (Visible)		Copper (dissolved) (µg/L)	Nickel (dissolved) (µg/L)	Perfluorooctane sulphonate (PFOS) (µg/L)	Perfluorooctanoic acid (PFOA) (µg/L)	Zinc (dissolved) (µg/L)	
		Licence concentration	Result	Licence concentration	Result	Licence concentration	Result	Result	Result	Result	Result	Result	
DP 1	3/09/2025	50	20	6.5-8.5	8.2	NV	NV	<1	<1	0.01	0.02	<5	

Notes:

NTU (nephelometric turbidity units)	µg/L Micrograms per Litre	< less than
- Not required to be sampled	NV None Visible	V Visible

Special Frequency 1 means:

- a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge, when it is safe to do so; and
b) when rainfall causes a discharge from a sediment basin which has not been emptied within the design management period following cessation of a rainfall event, when it is safe to do so.

Special Frequency 2 means:

At least one (1) sample from any basin or holding tank where a controlled discharge is undertaken within a calendar month period. In the event that two (2) or more controlled discharges are undertaken from a basin within a calendar month period, a minimum total of two (2) samples must be collected from each discharging basin or holding tank. Collection of 'Special Frequency 2' samples must be undertaken either during or as close as possible to the time of discharge, when it is safe to do so.